

# Rotax Metals Product Catalog

2019



For pricing and availability  
please contact us at  
718-272-9800

1-718-272-9800 **ROTAX METALS**

## 2019 PRODUCT CATALOG

| <u>Item</u>                                    | <u>Pages</u> |
|--|--------------|
| C280 Muntz Sheet                               | 3 & 4        |
| C110 Copper Sheets: Soft Temper                | 5            |
| C110 Copper Sheets: 0.16 - .125 Thickness      | 6            |
| C110 Copper Sheets: .156 - .750 Thickness      | 7            |
| C101 Copper Sheets: OFHC C101                  | 8            |
| C260 Brass Sheet: .016 - .125 Thickness        | 9 & 10       |
| C260 Brass Sheet: .156 - 1.00 Thickness        | 11           |
| C260 Brass Sheet: .Soft Temper                 | 12           |
| C353 Leaded Brass Sheet and Plates             | 13 & 14      |
| C220 Commercial Bronze Sheet                   | 15 & 16      |
| C464 Naval Brass Sheets: 0.32 - .187 Thickness | 17           |
| C464 Naval Brass Sheets: .250 - 2.00 Thickness | 18           |
| C385 Architectural Bronze Round Rod            | 19           |
| C385 Architectural Bronze Square Round         | 20           |
| C385 Architectural Bronze Rectangle Round      | 21 & 22      |
| C110 Copper Round Rod                          | 23           |
| C110 Copper Square Rod                         | 24           |
| C110 Copper Rectangle Rod: .125 - .250         | 25 & 26      |
| C110 Copper Rectangle Rod: .312 - 1.00         | 27           |
| C260 Brass Strip                               | 28           |
| C360 Brass Round Rod                           | 29 & 30      |
| C360 Brass Square Rod                          | 31, 32 & 33  |
| Brass Hex Rod                                  | 34           |
| Brass Half Round Rod                           | 35           |
| Brass Rectangle Rod: .250 - .500 Thickness     | 36 & 37      |
| Brass Rectangle Rod: .625 - 2.00 Thickness     | 38           |
| C272 Brass Hex Tubing                          | 39           |
| C272 Brass Roped Tubing                        | 40           |
| C385 Architectural Bronze Round Tubing         | 41           |
| C385 Architectural Bronze Rectangle Tube       | 42           |
| C385 Architectural Bronze Square Tube          | 43           |
| C272 Brass Round Tubing: .093 - .562 Diameter  | 44 & 45      |
| C272 Brass Round Tubing: .562 - .937 Diameter  | 46 & 47      |
| C272 Brass Round Tubing: 1.00 - 1.50 Diameter  | 48 & 49      |
| C272 Brass Round Tubing: 1.56 - 2.75 Diameter  | 50 & 51      |
| C272 Brass Round Tubing: 3.00 - 6.25 Diameter  | 52           |
| C272 Brass Square Tube                         | 53 & 54      |
| C272 Brass Rectangle Tube                      | 55           |
| C272 Brass Reeded Tubing                       | 56           |
| C385 Architectural Bronze Angle                | 57 & 58      |
| C385 Architectural Bronze Channel              | 59           |
| C385 Architectural Bronze T - Shape            | 60           |

**C280 Muntz Sheet**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .032             | 48           | 96            |
| .032             | 48           | 120           |
| .032             | 36           | 96            |
| .032             | 36           | 120           |
| .040             | 36           | 96            |
| .040             | 36           | 120           |
| .040             | 48           | 96            |
| .040             | 48           | 120           |
| .050             | 36           | 120           |
| .050             | 36           | 96            |
| .050             | 48           | 120           |
| .050             | 48           | 96            |
| .062             | 24           | 96            |
| .062             | 36           | 120           |
| .062             | 36           | 96            |
| .062             | 48           | 96            |
| .062             | 48           | 120           |
| .080             | 36           | 96            |
| .080             | 36           | 120           |
| .080             | 48           | 96            |
| .080             | 48           | 120           |
| .093             | 36           | 96            |
| .093             | 36           | 120           |
| .093             | 48           | 96            |
| .093             | 48           | 120           |

| Thickness | Width | Length |
|-----------|-------|--------|
| .125      | 24    | 96     |
| .125      | 36    | 96     |
| .125      | 36    | 120    |
| .125      | 48    | 96     |
| .125      | 48    | 120    |
| .200      | 36    | 96     |
| .200      | 48    | 96     |
| .200      | 48    | 120    |
| .250      | 24    | 96     |
| .250      | 36    | 96     |
| .250      | 48    | 96     |
| .250      | 48    | 120    |
| .250      | 36    | 120    |
| .312      | 48    | 96     |
| .375      | 36    | 96     |
| .375      | 36    | 120    |
| .375      | 48    | 96     |
| .375      | 48    | 120    |
| .500      | 36    | 96     |
| .500      | 48    | 120    |
| .500      | 48    | 96     |
| .625      | 36    | 96     |
| .750      | 48    | 96     |

**C110 Copper Sheets: Soft Temper**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .032             | 36           | 96            |
| .040             | 36           | 96            |
| .050             | 36           | 96            |
| .062             | 36           | 96            |
| .080             | 36           | 96            |
| .093             | 36           | 96            |
| .125             | 36           | 96            |
| 125              | 48           | 96            |

**C110 Copper Sheets: 0.16 - .125 Thickness**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .020             | 36           | 96            |
| .020             | 48           | 96            |
| .032             | 36           | 120           |
| .032             | 48           | 96            |
| .032             | 36           | 120           |
| 0.32             | 48           | 120           |
| 0.40             | 36           | 96            |
| 0.40             | 36           | 120           |
| 0.50             | 48           | 120           |
| 0.50             | 48           | 96            |
| 0.50             | 36           | 96            |
| 0.50             | 36           | 120           |
| 0.50             | 48           | 96            |
| 0.62             | 48           | 96            |
| 0.62             | 36           | 96            |
| 0.62             | 48           | 120           |
| 0.62             | 48           | 96            |
| 0.80             | 36           | 96            |
| 0.80             | 24           | 96            |
| 0.80             | 36           | 96            |
| 0.80             | 48           | 120           |
| 0.93             | 48           | 96            |
| 0.93             | 36           | 96            |
| 0.93             | 36           | 120           |
| .125             | 48           | 96            |
| .125             | 48           | 120           |
| .125             | 36           | 96            |
| .125             | 24           | 120           |
| .125             | 36           | 96            |

**C110 Copper Sheets: .156 - .750 Thickness**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .187             | 36           | 96            |
| .250             | 48           | 96            |
| .250             | 48           | 120           |
| .312             | 36           | 96            |
| .375             | 36           | 96            |
| .500             | 36           | 96            |
| .625             | 36           | 96            |
| .750             | 36           | 96            |

**C101 Copper Sheets: OFHC C101**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .032             | 36           | 96            |
| .040             | 36           | 96            |
| .050             | 36           | 96            |
| .062             | 36           | 96            |
| .093             | 36           | 96            |
| .125             | 36           | 96            |
| .375             | 36           | 96            |



**C260 Brass Sheet: .016 - .125 Thickness**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .016             | 24           | 96            |
| .016             | 36           | 96            |
| .020             | 12           | 96            |
| .020             | 36           | 96            |
| .025             | 13           | 96            |
| .025             | 24           | 96            |
| .025             | 36           | 96            |
| .032             | 24           | 96            |
| .032             | 36           | 96            |
| .032             | 36           | 120           |
| .032             | 48           | 96            |
| .032             | 48           | 120           |
| .040             | 36           | 96            |
| .040             | 36           | 120           |
| .040             | 48           | 96            |
| .040             | 48           | 120           |
| .050             | 12           | 96            |
| .050             | 24           | 96            |
| .050             | 36           | 96            |
| .050             | 48           | 96            |
| .050             | 48           | 120           |
| .062             | 12           | 96            |
| .062             | 24           | 96            |
| .062             | 36           | 96            |
| .062             | 36           | 120           |
| .062             | 48           | 96            |
| .062             | 48           | 120           |
| .080             | 36           | 96            |
| .080             | 36           | 120           |
| .080             | 48           | 96            |

|      |    |     |
|------|----|-----|
| .080 | 48 | 120 |
| .093 | 36 | 96  |
| .093 | 36 | 120 |
| .093 | 48 | 96  |
| .093 | 48 | 120 |
| .118 | 36 | 120 |
| .125 | 24 | 96  |
| .125 | 36 | 96  |
| .125 | 36 | 120 |
| .125 | 48 | 96  |
| .125 | 48 | 120 |

**C260 Brass Sheet: .156 - 1.00 Thickness**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .200             | 36           | 96            |
| .200             | 48           | 96            |
| .250             | 24           | 96            |
| .250             | 36           | 96            |
| .250             | 48           | 96            |
| .250             | 48           | 120           |
| .312             | 36           | 96            |
| .375             | 36           | 96            |
| .500             | 36           | 96            |
| .500             | 48           | 96            |
| .625             | 24           | 96            |
| .625             | 36           | 96            |
| .750             | 24           | 96            |
| .750             | 36           | 96            |

**C260 Brass Sheet: .Soft Temper**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .020             | 24           | 96            |
| .025             | 36           | 96            |
| .032             | 24           | 96            |
| .032             | 36           | 96            |
| .040             | 36           | 96            |
| .050             | 36           | 96            |
| .062             | 24           | 96            |
| .062             | 36           | 96            |
| .093             | 36           | 96            |
| .125             | 36           | 96            |

**C353 Leaded Brass Sheet and Plates**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .032             | 12           | 96            |
| .032             | 24           | 96            |
| .040             | 12           | 96            |
| .062             | 24           | 96            |
| .080             | 12           | 96            |
| .080             | 24           | 96            |
| .093             | 12           | 96            |
| .093             | 24           | 96            |
| .125             | 24           | 96            |
| .187             | 12           | 72            |
| .187             | 14           | 72            |
| .187             | 24           | 48            |
| .187             | 24           | 96            |
| .187             | 6            | 72            |
| .250             | 18           | 36            |
| .250             | 18           | 72            |
| .250             | 24           | 36            |
| .250             | 24           | 48            |
| .250             | 24           | 72            |
| .250             | 24           | 96            |
| .250             | 36           | 96            |
| .250             | 6            | 72            |
| .250             | 8            | 72            |
| .312             | 24           | 96            |
| .375             | 36           | 96            |
| .500             | 24           | 48            |
| .500             | 24           | 96            |
| .500             | 36           | 96            |
| .625             | 24           | 48            |

|       |    |    |
|-------|----|----|
| .625  | 24 | 96 |
| .625  | 6  | 72 |
| .750  | 24 | 48 |
| .750  | 24 | 96 |
| 1.00  | 24 | 96 |
| 1.00  | 36 | 96 |
| 1.250 | 18 | 96 |
| 1.50  | 18 | 96 |

**C220 Commercial Bronze Sheet**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .032             | 36           | 96            |
| .032             | 36           | 120           |
| .032             | 48           | 96            |
| .032             | 48           | 120           |
| .040             | 36           | 96            |
| .040             | 36           | 120           |
| .040             | 48           | 96            |
| .040             | 48           | 120           |
| .050             | 36           | 96            |
| .050             | 36           | 120           |
| .050             | 48           | 96            |
| .050             | 48           | 120           |
| .062             | 36           | 96            |
| .062             | 36           | 120           |
| .062             | 48           | 96            |
| .062             | 48           | 120           |
| .080             | 36           | 96            |
| .080             | 36           | 120           |
| .080             | 48           | 96            |
| .080             | 48           | 120           |
| .093             | 36           | 96            |
| .093             | 36           | 120           |
| .093             | 48           | 96            |
| .093             | 48           | 120           |
| .125             | 36           | 96            |
| .125             | 36           | 120           |
| .125             | 48           | 96            |
| .125             | 48           | 120           |
| .187             | 48           | 120           |
| .200             | 36           | 96            |
| .200             | 36           | 120           |

|      |    |     |
|------|----|-----|
| .200 | 48 | 96  |
| .200 | 48 | 120 |
| .250 | 24 | 96  |
| .250 | 36 | 96  |
| .250 | 48 | 96  |
| .250 | 48 | 120 |
| .312 | 36 | 96  |
| .375 | 36 | 96  |
| .375 | 48 | 96  |
| .375 | 48 | 120 |
| .500 | 36 | 96  |
| .500 | 36 | 120 |
| .500 | 48 | 96  |
| .500 | 48 | 120 |
| .750 | 36 | 96  |
| .750 | 48 | 96  |
| 1.00 | 36 | 96  |



**C464 Naval Brass Sheets: 0.32 - .187 Thickness**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .032             | 36           | 96            |
| .032             | 48           | 96            |
| .032             | 48           | 120           |
| .032             | 48           | 144           |
| .040             | 36           | 96            |
| .040             | 36           | 120           |
| .040             | 48           | 96            |
| .040             | 48           | 120           |
| .050             | 36           | 96            |
| .050             | 36           | 120           |
| .050             | 48           | 96            |
| .050             | 48           | 120           |
| .062             | 36           | 96            |
| .062             | 36           | 120           |
| .062             | 48           | 96            |
| .062             | 48           | 120           |
| .080             | 36           | 96            |
| .080             | 36           | 120           |
| .080             | 48           | 96            |
| .080             | 48           | 120           |
| .093             | 36           | 96            |
| .093             | 36           | 120           |
| .093             | 48           | 96            |
| .093             | 48           | 120           |
| .125             | 36           | 96            |
| .125             | 36           | 120           |
| .187             | 48           | 96            |
| .187             | 48           | 120           |

**C464 Naval Brass Sheets: .250 - 2.00 Thickness**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .250             | 24           | 96            |
| .250             | 36           | 96            |
| .250             | 48           | 96            |
| .250             | 48           | 120           |
| .312             | 36           | 96            |
| .375             | 36           | 96            |
| .375             | 48           | 96            |
| .375             | 48           | 120           |
| .500             | 24           | 96            |
| .500             | 36           | 96            |
| .500             | 48           | 96            |
| .500             | 48           | 120           |
| .750             | 36           | 96            |
| .750             | 48           | 120           |
| 1.00             | 36           | 96            |
| 1.00             | 36           | 120           |

**C385 Architectural Bronze Round Rod**

| <b>Diameter</b> | <b>Length</b> |
|-----------------|---------------|
| .250            | 192           |
| .312            | 192           |
| .375            | 192           |
| .500            | 192           |
| .600            | 192           |
| .625            | 192           |
| .750            | 192           |
| .875            | 192           |
| 1.00            | 192           |
| 1.125           | 192           |
| 1.250           | 192           |
| 1.50            | 192           |
| 2.00            | 192           |
| 2.00            | 192           |
| 2.50            | 192           |

**C385 Architectural Bronze Square Round**

| <b>Width</b> | <b>Height</b> | <b>Length</b> |
|--------------|---------------|---------------|
| 0.25         | 0.25          | 192           |
| 0.375        | 0.375         | 144           |
| 0.375        | 0.375         | 192           |
| 0.5          | 0.5           | 192           |
| 0.625        | 0.625         | 192           |
| 0.75         | 0.75          | 192           |
| 1            | 1             | 144           |
| 1            | 1             | 192           |
| 1.25         | 1.25          | 192           |
| 1.5          | 1.5           | 192           |
| 1.75         | 1.75          | 144           |
| 2            | 2             | 192           |

**C385 Architectural Bronze Rectangle Round**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .125             | .500+        | 192           |
| .125             | .625+        | 192           |
| .125             | .750+        | 192           |
| .125             | 1.00+        | 192           |
| .125             | 1.00+        | 192           |
| .125             | 1.250+       | 192           |
| .125             | 1.50+        | 192           |
| .125             | 2.00+        | 192           |
| .125             | 2.50+        | 192           |
| .125             | 3.00+        | 192           |
| .125             | 4.00+        | 192           |
| .187             | .500+        | 192           |
| .187             | .750+        | 192           |
| .187             | 1.00+        | 192           |
| .187             | 1.250+       | 192           |
| .187             | 1.50+        | 192           |
| .187             | 2.00+        | 192           |
| .187             | 2.50+        | 192           |
| .187             | 3.00+        | 192           |
| .187             | 4.00+        | 192           |
| .250             | .375+        | 192           |
| .250             | .500+        | 192           |
| .250             | .625+        | 192           |
| .250             | .750+        | 192           |
| .250             | 1.00+        | 192           |
| .250             | 1.250+       | 192           |
| .250             | 1.50+        | 192           |
| .250             | 1.750+       | 192           |
| .250             | 2.00+        | 192           |
| .250             | 2.25+        | 192           |

|      |       |     |
|------|-------|-----|
| .250 | 2.50+ | 192 |
| .250 | 3.00+ | 192 |
| .250 | 3.50+ | 192 |
| .250 | 4.00+ | 192 |
| .250 | 6.00+ | 192 |

## C110 Copper Round Rod

| Diameter | Length |
|----------|--------|
| .187     | 144    |
| .250     | 144    |
| .312     | 144    |
| .375     | 144    |
| .500     | 144    |
| .562     | 144    |
| .625     | 144    |
| .750     | 144    |
| .875     | 144    |
| 1.00     | 144    |
| 1.125    | 144    |
| 1.250    | 144    |
| 1.375    | 144    |
| 1.50     | 144    |
| 1.625    | 144    |
| 1.750    | 144    |
| 2.00     | 144    |
| 2.25     | 144    |
| 2.250    | 144    |
| 2.750    | 144    |
| 3.00     | 144    |



## C110 Copper Square Rod

| Width | Height | Length |
|-------|--------|--------|
| .250  | .250   | 144    |
| .312  | .312   | 144    |
| .375  | .375   | 144    |
| .500  | .500   | 144    |
| .625  | .625   | 144    |
| .750  | .750   | 144    |
| 1.00  | 1.00   | 144    |
| 1.250 | 1.250  | 144    |
| 1.50  | 1.50   | 144    |
| 1.750 | 1.750  | 144    |





**C110 Copper Rectangle Rod: .125 - .250**

| <b>Thickness</b> | <b>Width</b>        | <b>Length</b> |
|------------------|---------------------|---------------|
| .125             | .375                | 144           |
| .125             | .500                | 144           |
| .125             | .625                | 144           |
| .125             | 1.00                | 144           |
| .125             | 1.250               | 144           |
| .125             | 1.50                | 144           |
| .125             | 2.50                | 144           |
| .125             | 4.00                | 144           |
| .187             | .500                | 144           |
| .187             | .625                | 144           |
| .187             | .750                | 144           |
| .187             | 1.00                | 144           |
| .187             | 1.250               | 144           |
| .187             | 1.750               | 144           |
| .187             | 2.00                | 144           |
| .187             | 3.00                | 144           |
| .250             | .375                | 144           |
| .250             | .500                | 144           |
| .250             | .625                | 144           |
| .250             | .750                | 144           |
| .250             | .875                | 144           |
| .250             | 1.00 ( Round Edge ) | 144           |
| .250             | 1.00                | 144           |
| .250             | 1.250               | 144           |
| .250             | 1.50                | 144           |
| .250             | 1.750               | 144           |
| .250             | 2.00 ( Round Edge ) | 144           |
| .250             | 2.00                | 144           |
| .250             | 2.250               | 144           |
| .250             | 2.50                | 144           |
| .250             | 3.50                | 144           |

|      |      |     |
|------|------|-----|
| .250 | 6.00 | 144 |
|------|------|-----|



**C110 Copper Rectangle Rod: .312 - 1.00**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .312             | 1.00         | 144           |
| .312             | 2.00         | 144           |
| .375             | .500         | 144           |
| .375             | 7.50         | 144           |
| .375             | 1.00         | 144           |
| .375             | 2.00         | 144           |
| .375             | 2.50         | 144           |
| .375             | 3.00         | 144           |
| .500             | .750         | 144           |
| .500             | 1.00         | 144           |
| .500             | 1.50         | 144           |
| .500             | 2.00         | 144           |
| .500             | 2.50         | 144           |
| .500             | 3.00         | 144           |
| .500             | 3.50         | 144           |
| .500             | 4.00         | 144           |
| .500             | 6.00         | 144           |
| .750             | 1.50         | 144           |
| .750             | 2.00         | 144           |
| .750             | 3.00         | 144           |
| .750             | 4.00         | 144           |
| 1.00             | 1.250        | 144           |
| 1.00             | 1.50         | 144           |
| 1.00             | 2.00         | 144           |
| 1.00             | 3.00         | 144           |
| 1.00             | 4.00         | 144           |

**C260 Brass Strip**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .062             | .375         | 144           |
| .062             | .500         | 144           |
| .062             | .625         | 144           |
| .062             | .750         | 144           |
| .062             | .875         | 144           |
| .062             | 1.25         | 144           |
| .062             | 1.375        | 144           |
| .062             | 1.625        | 144           |
| .093             | 1.00         | 144           |
| .093             | 1.50         | 144           |

**Brass Round Rod: .078 - 1.00 Diameter**

| <b>Diameter</b> | <b>Length</b> |
|-----------------|---------------|
| .078            | 144           |
| .093            | 144           |
| .109            | 144           |
| .125            | 144           |
| .141            | 144           |
| .156            | 144           |
| .171            | 144           |
| .187            | 144           |
| .218            | 144           |
| .235            | 144           |
| .250            | 144           |
| .265            | 144           |
| .312            | 144           |
| .343            | 144           |
| .375            | 144           |
| .406            | 144           |
| .437            | 144           |
| .468            | 144           |
| .500            | 144           |
| .531            | 144           |
| .562            | 144           |
| .625            | 144           |
| .687            | 144           |
| .750            | 144           |
| .812            | 144           |
| .875            | 144           |
| .937            | 144           |
| 1.00            | 144           |

**Brass Half Oval Rod**

| <b>Base</b> | <b>Height</b> | <b>Length</b> |
|-------------|---------------|---------------|
| .375        | .093          | 144           |
| .500        | .125          | 144           |
| .625        | .187          | 144           |
| .750        | .187          | 144           |
| .875        | .625          | 144           |
| 1.00        | .250          | 144           |
| 1.250       | .625          | 144           |
| 1.250       | .312          | 144           |
| 1.50        | .312          | 144           |



## C360 Brass Square Rod

| Width | Height | Length |
|-------|--------|--------|
| .125  | .125   | 144    |
| .156  | .156   | 144    |
| .187  | .187   | 144    |
| .218  | .218   | 144    |
| .250  | .250   | 144    |
| .281  | .281   | 144    |
| .312  | .312   | 144    |
| .375  | .375   | 144    |
| .437  | .437   | 144    |
| .500  | .500   | 144    |
| .562  | .562   | 144    |
| .625  | .625   | 144    |
| .750  | .750   | 144    |
| .875  | .875   | 144    |
| 1.00  | 1.00   | 144    |
| 1.125 | 1.125  | 144    |
| 1.25  | 1.25   | 144    |
| 1.375 | 1.375  | 144    |
| 1.50  | 1.50   | 144    |
| 1.625 | 1.625  | 144    |
| 1.750 | 1.750  | 144    |
| 2.00  | 2.00   | 144    |
| 2.50  | 2.50   | 144    |



| <b>Diameter</b> | <b>Length</b>  |
|-----------------|----------------|
| 1.125           | 192            |
| 1.187           | 144            |
| 1.250           | 144            |
| 1.312           | 144            |
| 1.375           | 144            |
| 1.437           | 144            |
| 1.50            | 144            |
| 1.562           | 144            |
| 1.625           | 144            |
| 1.875           | 144            |
| 2.00            | 144            |
| 2.125           | 144            |
| 2.250           | 144            |
| 2.375           | 144            |
| 2.50            | 144            |
| 2.625           | 144            |
| 2.750           | 144            |
| 3.00            | 144            |
| 3.25            | “cut to length |
| 3.50            | “cut to length |
| 3.75            | “cut to length |
| 4.00            | “cut to length |
| 4.250           | “cut to length |
| 4.50            | “cut to length |
| 4.750           | “cut to length |
| 5.00            | “cut to length |
| 5.250           | “cut to length |
| 5.50            | “cut to length |
| 6.00            | “cut to length |
| 6.50            | “cut to length |



|       |                |
|-------|----------------|
| 7.00  | "cut to length |
| 7.50  | "cut to length |
| 8.00  | "cut to length |
| 9.00  | "cut to length |
| 10.00 | "cut to length |

## Brass Hex Rod

| Diameter | Length |
|----------|--------|
| .187     | 144    |
| .250     | 144    |
| .312     | 144    |
| .375     | 144    |
| .437     | 144    |
| .500     | 144    |
| .687     | 144    |
| .750     | 144    |
| .875     | 144    |
| 1.00     | 144    |
| 1.125    | 144    |
| 1.250    | 144    |
| 1.375    | 144    |
| 1.50     | 144    |
| 1.875    | 144    |
| 2.00     | 144    |
| 2.250    | 144    |



## Brass Half Round Rod

| Base  | Height | Length |
|-------|--------|--------|
| .250  | .125   | 144    |
| .312  | .156   | 144    |
| .375  | .187   | 144    |
| .500  | .250   | 144    |
| .625  | .312   | 144    |
| .750  | .375   | 144    |
| 1.00  | .500   | 144    |
| 1.250 | .625   | 144    |



**Brass Rectangle Rod: .250 - .500 Thickness**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .250             | .312         | 144           |
| .250             | .375         | 144           |
| .250             | .500         | 144           |
| .250             | .625         | 144           |
| .250             | .750 H       | 144           |
| .250             | .750 S       | 144           |
| .250             | .875         | 144           |
| .250             | 1.00 H       | 144           |
| .250             | 1.250 H      | 144           |
| .250             | 1.50         | 144           |
| .250             | 1.750        | 144           |
| .250             | 2.00         | 144           |
| .250             | 2.250        | 144           |
| .250             | 2.50         | 144           |
| .250             | 3.00         | 144           |
| .250             | 3.50         | 144           |
| .250             | 4.00         | 144           |
| .250             | 5.00         | 144           |
| .250             | 6.00         | 144           |
| .312             | .375         | 144           |
| .312             | .500         | 144           |
| .312             | .625         | 144           |
| .312             | .750         | 144           |
| .312             | 1.00         | 144           |
| .312             | 1.250        | 144           |
| .312             | 1.50         | 144           |
| .312             | 2.50         | 144           |
| .312             | 3.00         | 144           |
| .312             | 4.00         | 144           |

|      |       |     |
|------|-------|-----|
| .375 | .500  | 144 |
| .375 | .625  | 144 |
| .375 | .750  | 144 |
| .375 | .875  | 144 |
| .375 | 1.00  | 144 |
| .375 | 1.250 | 144 |
| .375 | 1.50  | 144 |
| .375 | 1.750 | 144 |
| .375 | 2.00  | 144 |
| .375 | 2.250 | 144 |
| .375 | 2.50  | 144 |
| .375 | 3.00  | 144 |
| .375 | 3.50  | 144 |
| .375 | 4.00  | 144 |
| .375 | 5.00  | 144 |
| .375 | 6.00  | 144 |
| .500 | .750  | 144 |
| .500 | .875  | 144 |
| .500 | 1.00  | 144 |
| .500 | 1.250 | 144 |
| .500 | 1.50  | 144 |
| .500 | 1.750 | 144 |
| .500 | 2.00  | 144 |
| .500 | 2.50  | 144 |
| .500 | 3.00  | 144 |
| .500 | 3.50  | 144 |
| .500 | 4.00  | 144 |
| .500 | 5.00  | 144 |
| .500 | 6.00  | 144 |




**Brass Rectangle Rod: .625 - 2.00 Thickness**

| <b>Thickness</b> | <b>Width</b> | <b>Length</b> |
|------------------|--------------|---------------|
| .625             | .750         | 144           |
| .625             | 1.00         | 144           |
| .625             | 1.250        | 144           |
| .625             | 2.00         | 144           |
| .625             | 3.00         | 144           |
| .625             | 4.00         | 144           |
| .625             | 5.00         | 144           |
| .750             | 1.00         | 144           |
| .750             | 1.250        | 144           |
| .750             | 1.50         | 144           |
| .750             | 1.750        | 144           |
| .750             | 2.00         | 144           |
| .750             | 2.50         | 144           |
| .750             | 3.00         | 144           |
| .750             | 6.00         | 144           |
| 1.00             | 1.250        | 144           |
| 1.00             | 1.50         | 144           |
| 1.00             | 1.750        | 144           |
| 1.00             | 2.00         | 144           |
| 1.00             | 2.50         | 144           |
| 1.00             | 3.00         | 144           |
| 1.00             | 4.00         | 144           |
| 1.250            | 1.50         | 144           |
| 1.250            | 2.00         | 144           |
| 1.250            | 3.00         | 144           |
| 1.50             | 2.00         | 144           |
| 1.50             | 2.50         | 144           |
| 1.50             | 3.00         | 144           |
| 2.00             | 3.00         | 144           |
| 2.00             | 4.00         | 144           |

## C272 Brass Hex Tubing

| Diameter Point to Point | Wall Thickness | Length |
|-------------------------|----------------|--------|
| .375                    | .032           | 144    |
| .500                    | .032           | 144    |
| .625                    | .032           | 144    |
| .750                    | .032           | 144    |
| .875                    | .032           | 144    |
| 1.25                    | .032           | 144    |



## C272 Brass Roped Tubing

| Diameter | Wall Thickness   | Length |
|----------|------------------|--------|
| .500     | .040             | 144    |
| .500     | .040 soft temper | 144    |
| .625     | .020             | 144    |
| .625     | .032             | 144    |
| .750     | .040             | 144    |
| 1.00     | .020             | 144    |
| 1.00     | .025             | 144    |
| 1.50     | .032             | 144    |





## C385 Architectural Bronze Round Tubing

| Outside Diameter | Wall Thickness | Length |
|------------------|----------------|--------|
| 0.500            | 0.125          | 192    |
| 0.625            | 0.093          | 192    |
| 0.750            | 0.125          | 192    |
| 1.00             | 0.125          | 192    |
| 1.250            | 0.680          | 144    |
| 1.250            | 0.125          | 192    |
| 1.50             | 0.125          | 192    |
| 1.750            | 0.125          | 192    |
| 2.00             | 0.125          | 192    |
| 2.50             | 0.125          | 192    |
| 3.00             | 0.125          | 192    |

## C385 Architectural Bronze Rectangle Tube

| Width | Height | Wall Thickness | Length |
|-------|--------|----------------|--------|
| .500  | 1.00   | .100           | 192    |
| .500  | 1.50   | .100           | 192    |
| .500  | 2.00   | .100           | 192    |
| .750  | 1.50   | .100           | 192    |
| .750  | 2.00   | .100           | 192    |
| 1.00  | 1.50   | .100           | 192    |
| 1.00  | 2.00   | .100           | 192    |
| 1.00  | 3.00   | .125           | 192    |
| 1.50  | 2.00   | .125           | 192    |
| 1.50  | 3.00   | .125           | 192    |
| 1.75  | 4.00   | .125           | 192    |
| 2.00  | 3.00   | .125           | 192    |
| 2.00  | 4.00   | .125           | 192    |



**C385 Architectural Bronze Square Tube**

| Width | Height | Wall Thickness | Length |
|-------|--------|----------------|--------|
|       |        |                |        |
|       |        |                |        |
|       |        |                |        |
|       |        |                |        |
|       |        |                |        |
|       |        |                |        |
|       |        |                |        |

**C272 Brass Round Tubing: .093 - .562 Diameter**

| <b>Outside Diameter</b> | <b>Wall Thickness</b> | <b>Length</b> |
|-------------------------|-----------------------|---------------|
| .093                    | .032                  | 144           |
| .125                    | .020                  | 144           |
| .125                    | .032                  | 144           |
| .187                    | .020                  | 144           |
| .187                    | .032                  | 144           |
| .250                    | .016                  | 144           |
| .250                    | .020                  | 144           |
| .250                    | .032                  | 144           |
| .250                    | .040                  | 144           |
| .250                    | .040 - SOFT           | 144           |
| .312                    | .020                  | 144           |
| .312                    | .032                  | 144           |
| .312                    | .040                  | 144           |
| .312                    | .040 - SOFT           | 144           |
| .312                    | .050                  | 144           |
| .312                    | .058                  | 144           |
| .312                    | .062                  | 144           |
| .375                    | .032                  | 144           |
| .375                    | .040                  | 144           |
| .375                    | .040 - SOFT           | 144           |
| .375                    | .050                  | 144           |
| .375                    | .050 - SOFT           | 144           |
| .375                    | .062                  | 144           |
| .375                    | 1.25                  | 144           |
| .437                    | .020                  | 144           |
| .437                    | .028                  | 144           |
| .437                    | .032                  | 144           |
| .437                    | .040                  | 144           |
| .437                    | .050                  | 144           |

|             |               |            |
|-------------|---------------|------------|
| .437        | .062          | 144        |
| .500        | .020          | 144        |
| .500        | .025          | 144        |
| <b>.500</b> | <b>.032</b>   | <b>144</b> |
| .500        | .040          | 144        |
| .500        | .050          | 144        |
| .500        | .062          | 144        |
| .500        | .065 - Leaded | 144        |
| .500        | .083          | 144        |
| .500        | .125 - Leaded | 144        |
| .562        | .020          | 144        |
| .562        | .028          | 144        |
| .562        | .040          | 144        |
| .562        | .040 - SOFT   | 144        |
| .562        | .050          | 144        |
| .562        | .062          | 144        |

**Brass Round Tubing: .562 - .937 Diameter**

| <b>Outside Diameter</b> | <b>Wall Thickness</b> | <b>Length</b> |
|-------------------------|-----------------------|---------------|
| .562                    | 0.20                  | 144           |
| .562                    | 0.28                  | 144           |
| .562                    | 0.40                  | 144           |
| .562                    | 0.40 - S              | 144           |
| .562                    | 0.50                  | 144           |
| .562                    | 0.62                  | 144           |
| .625                    | 0.20                  | 144           |
| .625                    | 0.25                  | 144           |
| .625                    | 0.32                  | 144           |
| .625                    | 0.40                  | 144           |
| .625                    | 0.40 - S              | 144           |
| .625                    | 0.50                  | 144           |
| .625                    | 0.62                  | 144           |
| .625                    | 0.65-L                | 144           |
| .625                    | .125 - L              | 144           |
| .687                    | 0.20                  | 144           |
| .687                    | 0.40                  | 144           |
| .750                    | 0.20                  | 144           |
| .750                    | 0.25                  | 144           |
| .750                    | 0.32                  | 144           |
| .750                    | 0.40                  | 144           |
| .750                    | 0.40 - S              | 144           |
| .750                    | 0.50                  | 144           |
| .750                    | 0.50 - S              | 144           |
| .750                    | 0.62                  | 144           |
| .750                    | .065 - L              | 144           |
| .750                    | .125 - L              | 144           |
| .812                    | 0.20                  | 144           |
| .812                    | 0.28                  | 144           |
| .812                    | 0.62                  | 144           |
| .875                    | 0.16                  | 144           |

|      |          |     |
|------|----------|-----|
| .875 | 0.20     | 144 |
| .875 | 0.25     | 144 |
| .875 | 0.28     | 144 |
| .875 | 0.32     | 144 |
| .875 | 0.40     | 144 |
| .875 | 0.62     | 144 |
| .875 | 0.65     | 144 |
| .875 | .125     | 144 |
| .875 | .125 - L | 144 |
| .937 | 0.32     | 144 |
| .937 | 0.62     | 144 |



**C272 Brass Round Tubing: 1.00 - 1.50 Diameter**

| <b>Outside Diameter</b> | <b>Wall Thickness</b> | <b>Length</b> |
|-------------------------|-----------------------|---------------|
| 1.00                    | 0.020                 | 144           |
| 1.00                    | 0.025                 | 144           |
| 1.00                    | 0.032                 | 144           |
| 1.00                    | 0.040                 | 144           |
| 1.00                    | 0.040 - Soft Temper   | 144           |
| 1.00                    | 0.050                 | 144           |
| 1.00                    | 0.062                 | 144           |
| 1.00                    | 0.065                 | 144           |
| 1.00                    | 0.093                 | 144           |
| 1.00                    | 0.125                 | 144           |
| 1.00                    | 0.125                 | 144           |
| 1.062                   | 0.020                 | 144           |
| 1.125                   | 0.020                 | 144           |
| 1.125                   | 0.032                 | 144           |
| 1.125                   | 0.040                 | 144           |
| 1.125                   | 0.062                 | 144           |
| 1.125                   | 0.065                 | 144           |
| 1.125                   | 1.125                 | 144           |
| 1.125                   | 1.125                 | 144           |
| 1.250                   | 0.020                 | 144           |
| 1.250                   | 0.025                 | 144           |
| 1.250                   | 0.032                 | 144           |
| 1.250                   | 0.050                 | 144           |
| 1.250                   | 0.062                 | 144           |
| 1.250                   | 0.065                 | 144           |
| 1.250                   | 0.125                 | 144           |
| 1.250                   | 0.125                 | 144           |
| 1.375                   | 0.020                 | 144           |
| 1.375                   | 0.025                 | 144           |
| 1.375                   | 0.032                 | 144           |



|       |              |     |
|-------|--------------|-----|
| 1.375 | 0.050        | 144 |
| 1.375 | 0.062        | 144 |
| 1.375 | 0.065        | 144 |
| 1.375 | 0.125        | 144 |
| 1.50  | 0.020        | 144 |
| 1.50  | 0.025        | 144 |
| 1.50  | 0.032        | 144 |
| 1.50  | 0.040        | 144 |
| 1.50  | 0.050        | 144 |
| 1.50  | 0.050 - SOFT | 144 |
| 1.50  | 0.062        | 144 |
| 1.50  | 0.065        | 144 |
| 1.50  | 0.125        | 144 |
| 1.50  | 0.125        | 144 |
| 1.50  | 0.250        | 144 |

**Brass Round Tubing: 1.56 - 2.75 Diameter**

| <b>Outside Diameter</b> | <b>Wall Thickness</b> | <b>Length</b> |
|-------------------------|-----------------------|---------------|
| 1.625                   | .025 H                | 144           |
| 1.625                   | .032 H                | 144           |
| 1.625                   | .062 H                | 144           |
| 1.625                   | .125 H                | 144           |
| 1.625                   | .125 L                | 144           |
| 1.750                   | .025 H                | 144           |
| 1.750                   | .032 H                | 144           |
| 1.750                   | .062 H                | 144           |
| 1.750                   | .065 H                | 144           |
| 1.750                   | .125 H                | 144           |
| 1.750                   | .125 H - 58           | 144           |
| 1.750                   | .125 L                | 144           |
| 1.875                   | .032 H                | 144           |
| 1.875                   | .062 H                | 144           |
| 1.875                   | .125 L                | 144           |
| 2.00                    | .025 H                | 144           |
| 2.00                    | .032 H                | 144           |
| 2.00                    | .050 H                | 144           |
| 2.00                    | .062 H                | 144           |
| 2.00                    | .062 S                | 144           |
| 2.00                    | .065 L                | 144           |
| 2.00                    | .125 H                | 144           |
| 2.00                    | .125 L                | 144           |
| 2.00                    | .250 L                | 144           |
| 2.125                   | .065 L                | 144           |
| 2.125                   | .125 L                | 144           |
| 2.250                   | .032 H                | 144           |
| 2.250                   | .040 H                | 144           |
| 2.250                   | .065 L                | 144           |

|       |        |     |
|-------|--------|-----|
| 2.250 | .125 L | 144 |
| 2.250 | .250 L | 144 |
| 2.375 | .065 L | 144 |
| 2.50  | .032 H | 144 |
| 2.50  | .040 H | 144 |
| 2.50  | .040 L | 144 |
| 2.50  | .065 L | 144 |
| 2.50  | .125 L | 144 |
| 2.50  | .250 L | 144 |
| 2.625 | .032   | 144 |
| 2.625 | .065 L | 144 |
| 2.750 | .032 H | 144 |
| 2.750 | .125 L | 144 |

**Brass Round Tubing: 3.00 - 6.25 Diameter**

| <b>Outside Diameter</b> | <b>Wall Thickness</b> | <b>Length</b> |
|-------------------------|-----------------------|---------------|
| 3.00                    | .032 L                | 144           |
| 3.00                    | .040 L                | 144           |
| 3.00                    | .050 L                | 144           |
| 3.00                    | .062 L                | 144           |
| 3.00                    | .125 L                | 144           |
| 3.00                    | .250 L                | 144           |
| 3.250                   | .065 L                | 144           |
| 3.250                   | .125 L                | 144           |
| 3.50                    | .035 L                | 144           |
| 3.50                    | .065 L                | 144           |
| 3.50                    | .125 L                | 144           |
| 3.50                    | .250 L                | 144           |
| 3.750                   | .065 L                | 144           |
| 3.750                   | .125 L                | 144           |
| 4.00                    | .035 L                | 144           |
| 4.00                    | .062 L                | 144           |
| 4.00                    | .125 L                | 144           |
| 4.00                    | .250 L                | 144           |
| 4.250                   | .125 L                | 144           |
| 4.50                    | .065 L                | 144           |
| 4.50                    | .125 L                | 144           |
| 4.750                   | .125 L                | 144           |
| 5.00                    | .065 L                | 144           |
| 5.00                    | .125 L                | 144           |
| 5.250                   | .125 L                | 144           |
| 5.50                    | .125 L                | 144           |
| 6.00                    | .125 L                | 144           |
| 6.250                   | .125 L                | 144           |

**C272 Brass Square Tube**

| <b>Width</b> | <b>Height</b> | <b>Wall Thickness</b> | <b>Length</b> |
|--------------|---------------|-----------------------|---------------|
| .187         | .187          | .025                  | 144           |
| .250         | .250          | .016                  | 144           |
| .250         | .250          | .032                  | 144           |
| .312         | .312          | .025                  | 144           |
| .312         | .312          | .040                  | 144           |
| .375         | .375          | .025                  | 144           |
| .375         | .375          | .032                  | 144           |
| .375         | .375          | .040                  | 144           |
| .375         | .375          | .040 Soft Temper      | 144           |
| .500         | .500          | .025                  | 144           |
| .500         | .500          | .032                  | 144           |
| .500         | .500          | .040 H                | 144           |
| .500         | .500          | .040 Soft Temper      | 144           |
| .500         | .500          | .050                  | 144           |
| .500         | .500          | .062                  | 144           |
| .625         | .625          | .025                  | 144           |
| .625         | .625          | .032                  | 144           |
| .625         | .625          | .040                  | 144           |
| .625         | .625          | .040 S                | 144           |
| .625         | .625          | .062                  | 144           |
| .750         | .750          | .025                  | 144           |
| .750         | .750          | .032                  | 144           |
| .750         | .750          | .040                  | 144           |
| .750         | .750          | .050                  | 144           |
| .750         | .750          | .062                  | 144           |
| .750         | .750          | 1.25                  | 144           |
| 1.00         | 1.00          | .025                  | 144           |
| 1.00         | 1.00          | .032                  | 144           |
| 1.00         | 1.00          | .040                  | 144           |
| 1.00         | 1.00          | .050                  | 144           |

|       |       |      |     |
|-------|-------|------|-----|
| 1.00  | 1.00  | .062 | 144 |
| 1.00  | 1.00  | 1.25 | 144 |
| 1.25  | 1.25  | .032 | 144 |
| 1.250 | 1.250 | .032 | 144 |
| 1.250 | 1.250 | .040 | 144 |
| 1.250 | 1.250 | .062 | 144 |
| 1.50  | 1.50  | .050 | 144 |
| 1.50  | 1.50  | .062 | 144 |
| 1.50  | 1.50  | .125 | 144 |
| 2.00  | 2.00  | .050 | 144 |
| 2.00  | 2.00  | .062 | 144 |
| 2.00  | 2.00  | .125 | 144 |
| 2.50  | 2.50  | .062 | 144 |
| 2.50  | 2.50  | .125 | 144 |
| 3.00  | 3.00  | .062 | 144 |

**C272 Brass Rectangle Tube**

| <b>Width</b> | <b>Height</b> | <b>Wall Thickness</b> | <b>Length</b> |
|--------------|---------------|-----------------------|---------------|
| .312         | .750          | .040                  | 144           |
| .375         | .750          | .040                  | 144           |
| .375         | 1.00          | .062                  | 144           |
| .500         | .750          | .040                  | 144           |
| .500         | 1.00          | .040                  | 144           |
| .500         | 1.00          | .050                  | 144           |
| .500         | 1.00          | .062                  | 144           |
| .500         | 1.25          | .062                  | 144           |
| .500         | 1.50          | .062                  | 144           |
| .500         | 2.00          | .062                  | 144           |
| .625         | 1.25          | .062                  | 144           |
| .750         | 1.50          | .062                  | 144           |
| .750         | 2.00          | .062                  | 144           |
| 1.00         | 1.50          | .085                  | 144           |
| 1.00         | 1.50          | 1.00                  | 144           |
| 1.00         | 2.00          | .062                  | 144           |
| 1.00         | 2.00          | 1.00                  | 144           |
| 1.00         | 3.00          | .062                  | 144           |



**C272 Brass Reeded Tubing**

| <b>Diameter</b> | <b>Wall Thickness</b> | <b>Length</b> |
|-----------------|-----------------------|---------------|
| .375            | .040                  | 144           |
| .375            | .040- Soft Temper     | 144           |
| .500            | .025                  | 144           |
| .500            | .040- Soft Temper     | 144           |
| .625            | .020                  | 144           |
| .625            | .040                  | 144           |
| 1.00            | .020                  | 144           |
| 1.00            | .025                  | 144           |
| 1.00            | .032                  | 144           |
| 1.50            | .032                  | 144           |
| 2.00            | .062-45 Reeds         | 144           |
| 2.00            | .032 - Narrow Reeds   | 144           |
| 2.00            | .032 -Wide Reeds      | 144           |
| 2.00            | .062-20 Reeds         | 144           |



**C385 Architectural Bronze Angle**

| <b>Thickness</b> | <b>Leg 1</b> | <b>Leg 2</b> | <b>Length</b> |
|------------------|--------------|--------------|---------------|
| .062             | 1.00         | 1.00         | 144           |
| .062             | 1.25         | 1.25         | 144           |
| .062             | 1.50         | 1.50         | 144           |
| .062             | .250         | .250         | 144           |
| .062             | .375         | .375         | 144           |
| .062             | .500         | 1.00         | 144           |
| .062             | .500         | 1.50         | 144           |
| .062             | .500         | .500         | 144           |
| .062             | .500         | 0.750        | 144           |
| .062             | .625         | .625         | 144           |
| .062             | .750         | .750         | 144           |
| .125             | 1.00         | 1.00         | 192           |
| .125             | 1.00         | 1.00         | 144           |
| .125             | 1.00         | 1.50         | 192           |
| .125             | 1.00         | 1.50         | 144           |
| .125             | 1.00         | 2.00         | 192           |
| .125             | 1.00         | 2.00         | 144           |
| .125             | 1.50         | 1.50         | 192           |
| .125             | .125         | .125         | 144           |
| .125             | 1.50         | 1.50         | 144           |
| .125             | 2.00         | 2.00         | 192           |
| .125             | 2.50         | 2.50         | 144           |
| .125             | .500         | 1.00         | 192           |
| .125             | .500         | 1.00         | 144           |
| .125             | .500         | 1.50         | 144           |
| .125             | .500         | 2.00         | 144           |
| .125             | .500         | .500         | 192           |
| .125             | .500         | .500         | 144           |
| .125             | .500         | .750         | 144           |
| .125             | .625         | .625         | 144           |
| .125             | .750         | 1.00         | 144           |



**C 385 Architectural Bronze Channel**

| <b>Thickness</b> | <b>Leg 1</b> | <b>Base</b> | <b>Leg 2</b> | <b>Length</b> |
|------------------|--------------|-------------|--------------|---------------|
| .040             | .375         | .375        | .375         | 144           |
| .080             | .625         | .375        | .625         | 144           |
| .093             | .500         | .500        | .500         | 144           |
| .093             | .500         | .750        | .500         | 144           |
| .093             | .750         | .500        | .750         | 144           |
| .093             | .750         | .750        | .750         | 144           |
| 1.00             | .375         | .500        | .375         | 144           |
| 1.00             | .625         | .625        | .625         | 144           |
| .125             | .500         | .500        | .500         | 144           |
| .125             | .500         | 1.00        | .500         | 192           |
| .125             | .500         | 1.50        | .500         | 192           |
| .125             | .750         | .750        | .750         | 144           |
| .125             | .750         | .750        | .750         | 192           |
| .125             | .750         | 2.00        | .750         | 192           |
| .125             | 1.00         | 2.00        | 1.00         | 192           |
| .125             | 1.00         | 1.00        | 1.00         | 192           |
| .125             | 1.00         | 1.50        | 1.00         | 192           |
| .125             | 1.25         | 1.25        | 1.25         | 144           |
| .125             | 1.25         | 1.25        | 1.25         | 192           |
| .125             | 1.50         | 1.50        | 1.50         | 192           |
| .125             | 2.00         | 2.00        | 2.00         | 192           |

## Architectural Bronze T - Shape

| Thickness | Base | Leg 1 | Length |
|-----------|------|-------|--------|
| .125      | .750 | .750  | 144    |
| .125      | 1.00 | 1.00  | 144    |
| .125      | 1.50 | 1.50  | 196    |
| .125      | 1.50 | 1.50  | 192    |
| .125      | 2.00 | 2.00  | 144    |

